

Quality ID #277: Sleep Apnea: Severity Assessment at Initial Diagnosis
– National Quality Strategy Domain: Effective Clinical Care
– Meaningful Measure Area: Management of Chronic Conditions

2021 COLLECTION TYPE:
MIPS CLINICAL QUALITY MEASURES (CQMS)

MEASURE TYPE:
Process

DESCRIPTION:
Percentage of patients aged 18 years and older with a diagnosis of obstructive sleep apnea who had an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) measured at the time of initial diagnosis

INSTRUCTIONS:
This measure is to be submitted a minimum of **once per performance period** for patients with a diagnosis of sleep apnea seen during the performance period. This measure may be submitted by Merit-based Incentive Payment System (MIPS) eligible clinicians who perform the quality actions described in the measure based on the services provided and the measure-specific denominator coding.

NOTE: Patient encounters for this measure conducted via telehealth (e.g., encounters coded with GQ, GT, 95, or POS 02 modifiers) are allowable.

Measure Submission Type:
Measure data may be submitted by individual MIPS eligible clinicians, groups, or third party intermediaries. The listed denominator criteria are used to identify the intended patient population. The numerator options included in this specification are used to submit the quality actions as allowed by the measure. The quality-data codes listed do not need to be submitted by MIPS eligible clinicians, groups, or third party intermediaries that utilize this modality for submissions; however, these codes may be submitted for those third party intermediaries that utilize Medicare Part B claims data. For more information regarding Application Programming Interface (API), please refer to the Quality Payment Program (QPP) website.

DENOMINATOR:
All patients aged 18 years and older with an initial diagnosis of sleep apnea

DENOMINATOR NOTE: Denominator eligible encounters only include those where the initial diagnosis of sleep apnea is present in the medical documentation or it is the MIPS eligible clinician's first encounter with a patient diagnosed with sleep apnea as represented in the coding below.

Denominator Criteria (Eligible Cases):
Patients aged ≥ 18 years on date of encounter
AND
Diagnosis for sleep apnea (ICD-10-CM): G47.30, G47.33

AND
Patient encounter during the performance period (CPT): 99202, 99203, 99204, 99205, 99211, 99212, 99213, 99214, 99215, 99304, 99305, 99306, 99307, 99308, 99309, 99310, 99324, 99325, 99326, 99327, 99328, 99334, 99335, 99336, 99337, 99341, 99342, 99343, 99344, 99345, 99347, 99348, 99349, 99350

AND
Encounter corresponds to initial diagnosis of sleep apnea or first contact with sleep apnea diagnosed patient

NUMERATOR:

Patients who had an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) measured at the time of initial diagnosis

Definitions:

Apnea-Hypopnea Index (AHI) - for polysomnography performed in a sleep lab is defined as (Total Apneas + Hypopneas per hour of sleep); Apnea-Hypopnea Index (AHI) for a home sleep study is defined as (Total Apneas + Hypopneas per hour of monitoring).

Respiratory Disturbance Index (RDI) - is defined as (Total Apneas + Hypopneas + Respiratory Effort Related Arousals per hour of sleep).

NUMERATOR NOTE: *The quality-data codes below should be used for assessment of a MIPS eligible clinician's actions either at the time sleep apnea is initially diagnosed or at the initial encounter with a patient previously diagnosed with sleep apnea.*

Numerator Options:

Performance Met:

Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) measured at the time of initial diagnosis **(G8842)**

OR

Denominator Exception:

Documentation of reason(s) for not measuring an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) at the time of initial diagnosis (e.g., psychiatric disease, dementia, patient declined, financial, insurance coverage, test ordered but not yet completed) **(G8843)**

OR

Performance Not Met:

Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) not measured at the time of initial diagnosis, reason not given **(G8844)**

RATIONALE:

For patients with obstructive sleep apnea (OSA), the desired outcome of treatment includes the resolution of the clinical signs and symptoms of OSA and the normalization of the apnea hypopnea index (AHI) and oxyhemoglobin saturation. Physicians treating patients with OSA should calculate the patient's level of severity, which informs risk for other co-morbid conditions and complications. Numerous Level 1 and Level 2 studies have shown that the risk of cardiovascular complications is established for patients with an AHI over 15 (Kushida et al, 2005). Patients with a respiratory disturbance index equal to or greater than 15 are considered to have moderate to severe OSA and should be treated with positive airway pressure therapy

CLINICAL RECOMMENDATION STATEMENTS:

Moderate sleep apnea is defined as having an RDI of equal to or greater than 15, but less than 30 episodes per hour of sleep; severe sleep apnea is defined as having an RDI equal to or greater than 30 episodes per hour of sleep. These patients are at higher risk for severe cardiovascular diseases and other co-morbid conditions (Kushida et al, 2006). Polysomnography is indicated for positive airway pressure (PAP) titration in patients with sleep related breathing disorders (Level 1). PSG with CPAP titration is appropriate for patients with any of the following results: a) an RDI of at least 15 per hour, regardless of the patient's symptoms; b) an RDI of at least 5 per hour in a patient with excessive daytime sleepiness. (Kushida et al, 2005)

COPYRIGHT:

The Measure is not a clinical guideline, does not establish a standard of medical care, and has not been tested for all potential applications.

The Measure, while copyrighted, can be reproduced and distributed, without modification, for noncommercial purposes, e.g., use by health care providers in connection with their practices. Commercial use is defined as the

sale, license, or distribution of the Measure for commercial gain, or incorporation of the Measure into a product or service that is sold, licensed or distributed for commercial gain.

Neither the AASM, nor its members, shall be responsible for any use of the Measures outside of the AASM registry.

The PCPI's and AMA's significant past efforts and contributions to the development and updating of the Measures are acknowledged.

The AASM is solely responsible for the review and enhancement ("Maintenance") of the Measure as of August 7, 2014.

The AASM encourages use of the Measure by other health care professionals, where appropriate.

THE MEASURE AND SPECIFICATIONS ARE PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND.


©2020 American Academy of Sleep Medicine. All Rights Reserved.

Limited proprietary coding may be contained in the Measure specifications for convenience. A license agreement must be entered prior to a third party's use of Current Procedural Terminology (CPT®) or other proprietary code set contained in the Measures. Any other use of CPT or other coding by the third party is strictly prohibited. American Academy of Sleep Medicine and its members disclaim all liability for use or accuracy of any CPT or other coding contained in the specifications.

CPT® contained in the Measures specifications is copyright 2004-2020 American Medical Association. LOINC® copyright 2004-2020 Regenstrief Institute, Inc. SNOMED CLINICAL TERMS (SNOMED CT®) copyright 2004-2020. The International Health Terminology Standards Development Organisation (IHTSDO). ICD-10 is copyright 2020 World Health Organization. All Rights Reserved.

2021 Clinical Quality Measure Flow for Quality ID #277: Sleep Apnea: Severity Assessment at Initial Diagnosis

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.



SAMPLE CALCULATIONS

Data Completeness=

$$\frac{\text{Performance Met (a=50 patients)} + \text{Denominator Exception (b=10 patients)} + \text{Performance Not Met (c=10 patients)}}{\text{Eligible Population / Denominator (d=80 patients)}} = \frac{70 \text{ patients}}{80 \text{ patients}} = 87.50\%$$

Performance Rate=

$$\frac{\text{Performance Met (a=50 patients)}}{\text{Data Completeness Numerator (70 patients) - Denominator Exception (b=10 patients)}} = \frac{50 \text{ patients}}{60 \text{ patients}} = 83.33\%$$

*See the posted measure specification for specific coding and instructions to submit this measure.
 NOTE: Submission Frequency: Patient-Process

CPT only copyright 2020 American Medical Association. All rights reserved.
 The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification.

**2021 Clinical Quality Measure Flow Narrative for Quality ID #277:
Sleep Apnea: Severity Assessment at Initial Diagnosis**

Disclaimer: Refer to the measure specification for specific coding and instructions to submit this measure.

1. Start with Denominator
2. Check *Patient aged greater than or equal to 18 years on date of encounter*.
 - a. If *Patient aged greater than or equal to 18 years on date of encounter* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient aged greater than or equal to 18 years on date of encounter* equals Yes, proceed to check *Diagnosis for sleep apnea as listed in Denominator**.
3. Check *Diagnosis for sleep apnea as listed in Denominator**.
 - a. If *Diagnosis for sleep apnea as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Diagnosis for sleep apnea as listed in Denominator** equals Yes, proceed to check *Patient encounter during performance period as listed in Denominator**.
4. Check *Patient encounter during performance period as listed in Denominator**.
 - a. If *Patient encounter during performance period as listed in Denominator** equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Patient encounter during performance period as listed in Denominator** equals Yes, proceed to check *Encounter corresponds to initial diagnosis of sleep apnea or first contact with sleep apnea diagnosed patient*.
5. Check *Encounter corresponds to initial diagnosis of sleep apnea or first contact with sleep apnea diagnosed patient*.
 - a. If *Encounter corresponds to initial diagnosis of sleep apnea or first contact with sleep apnea diagnosed patient* equals No, do not include in *Eligible Population/Denominator*. Stop processing.
 - b. If *Encounter corresponds to initial diagnosis of sleep apnea or first contact with sleep apnea diagnosed patient* equals Yes, include in *Eligible Population/Denominator*.
6. Denominator Population:
 - a. Denominator Population is all Eligible Patients in the Denominator. Denominator is represented as Denominator in the Sample Calculation listed at the end of this document. Letter d equals 80 patients in the Sample Calculation.
7. Start Numerator
8. Check *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) measured at the time of initial diagnosis*:
 - a. If *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) measured at the time of initial diagnosis* equals Yes, include in *Data Completeness Met and Performance Met*.

- *Data Completeness Met and Performance Met* letter is represented in the Data Completeness

and Performance Rate in the Sample Calculation listed at the end of this document. Letter a equals 50 patients in the Sample Calculation.

- b. If *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) measured at the time of initial diagnosis* equals No, proceed to check *Documentation of reason(s) for not measuring an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) at the time of initial diagnosis*.
9. Check *Documentation of reason(s) for not measuring an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) at the time of initial diagnosis*:
 - a. If *Documentation of reason(s) for not measuring an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) at the time of initial diagnosis* equals Yes, include in *Data Completeness Met and Denominator Exception*.
 - *Data Completeness Met and Denominator Exception* letter is represented in the Data Completeness and Performance Rate in the Sample Calculation listed at the end of this document. Letter b equals 10 patients in the Sample Calculation.
 - b. If *Documentation of reason(s) for not measuring an apnea hypopnea index (AHI) or a respiratory disturbance index (RDI) at the time of initial diagnosis* equals No, proceed to check *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) not measured at the time of initial diagnosis, reason not given*.
 10. Check *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) not measured at the time of initial diagnosis, reason not given*:
 - a. If *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) not measured at the time of initial diagnosis, reason not given* equals Yes, include in *Data Completeness Met and Performance Not Met*.
 - *Data Completeness Met and Performance Not Met* letter is represented in the Data Completeness in the Sample Calculation listed at the end of this document. Letter c equals 10 patients in the Sample Calculation.
 - b. If *Apnea hypopnea index (AHI) or respiratory disturbance index (RDI) not measured at the time of initial diagnosis, reason not given* equals No, proceed to check *Data Completeness Not Met*.
 11. Check *Data Completeness Not Met*:
 - a. If *Data Completeness Not Met*, the Quality Data Code or equivalent was not submitted. 10 patients have been subtracted from the Data Completeness Numerator in the Sample Calculation

Sample Calculations:

Data Completeness equals Performance Met (a equals 50 patients) plus Denominator Exception (b equals 10 patients) plus Performance Not Met (c equals 10 patients) divided by Eligible Population/Denominator (d equals 80 patients). All equals 70 patients divided by 80 patients. All equals 87.5 percent.

Performance Rate equals Performance Met (a equals 50 patients) divided by Data Completeness Numerator (70 patients) minus Denominator Exception (b equals 10 patients). All equals 50 patients divided by 60 patients. All equals 83.33 percent.

*See the posted measure specification for specific coding and instructions to submit this measure.

NOTE: Submission Frequency: Patient-Process

The measure diagrams were developed by CMS as a supplemental resource to be used in conjunction with the measure specifications. They should not be used alone or as a substitution for the measure specification